BIG WHITE®
2027

SLV LIGHTING CATALOGUE



ALPHABETICAL INDEX

1-PHASE

1-PHASE SYSTEM MOUNTING TRACK 481
1-PHASE SYSTEM MOUNTING TRACK, ACCESSORIES 482, 483
1-PHASE SYSTEM MOUNTING TRACK, 2 M 485
1-PHASE SYSTEM MOUNTING TRACK, 2 M, ACCESSORIES 485

3-PHASE

EUTRAC® 3-PHASE, SURFACE-MOUNTED TRACK, 2 M 549
EUTRAC® 3-PHASE, SURFACE-MOUNTED TRACK, 2 M, ACCESSORIES 550, 551
EUTRAC® 3-PHASE, RECESSED TRACK, 3 M 553
EUTRAC® 3-PHASE, RECESSED TRACK, 3 M, ACCESSORIES 553
S-TRACK 3-PHASE SURFACE-MOUNTED TRACK, ON/OFF 537
S-TRACK 3-PHASE SURFACE-MOUNTED TRACK, ON/OFF, ACCESSORIES 538, 539
S-TRACK 3-PHASE SURFACE-MOUNTED TRACK, PHASE & DALI 541
S-TRACK 3-PHASE SURFACE-MOUNTED TRACK, PHASE & DALI, ACCESSORIES 542, 543
S-TRACK 3-PHASE RECESSED TRACK, PHASE & DALI 545
S-TRACK 3-PHASE RECESSED TRACK, PHASE & DALI, ACCESSORIES 547

48 V SYSTEMS

48 V STANDARD SURFACE-MOUNTED TRACK SYSTEM, DALI 424
48 V STANDARD SURFACE-MOUNTED TRACK SYSTEM, DALI, ACCESSORIES 428, 429
48 V STANDARD SURFACE-MOUNTED TRACK SYSTEM, CURVED, DALI 426
48 V DEEP SURFACE-MOUNTED TRACK SYSTEM, DALI 430
48 V DEEP SURFACE-MOUNTED TRACK SYSTEM, DALI, ACCESSORIES 432, 433
48 V RECESSED TRACK SYSTEM, DALI 434
48 V RECESSED TRACK SYSTEM, DALI, ACCESSORIES 436, 437

A

ABRIDOR 100 POLE 725
ABRIDOR 60 POLE 725
ABRIDOR HYBRID 100 POLE 724
ABRIDOR HYBRID 60 POLE 724
ABRIDOR HYBRID WL 843
ABRIDOR SENSOR WL 843
ABRIDOR WL 843
ADEGAN FL, FLAT SOLAR 641
ADEGAN FL, SOLAR 641
ADI EL 866
AINOS CW 858
AINOS CW, SQUARE 859
AINOS CW, SENSOR 859
AINOS CW, SENSOR, SQUARE 859
AINOS SLIDE WL, ROUND, PHASE 775
AINOS SLIDE WL, ROUND, SENSOR 775
AINOS SLIDE WL, SQUARE, PHASE 774
AINOS SLIDE WL, SQUARE, SENSOR 775
AKALO D83 EL 115
ALEGRIA 75 POLE, TRIAC 645
ALEGRIA WL, TRIAC 773
ALPA CONE 100 POLE, E27 709
ALPA MUSHROOM 45 POLE, E27 709
ALPA MUSHROOM 75 POLE, E27 709
ALTRA DICE CL, QPAR51 151
ALTRA DICE CW, DOUBLE, QPAR51 151, 385
ALTRA DICE TRACK SINGLE-PHASE, QPAR51 529
ANGOLUX SENSOR WL 835
ANGOLUX WL 835
APONI 120 POLE, PHASE 711
APONI 90 POLE, PHASE 710
ARLINA 130 WL 317
ARLINA 60 WL 317
ARROCK ARC POLE, QPAR51 694
ARROCK GRANITE 40 POLE, SQUARE, E27 694
ARROCK GRANITE 70 POLE, SQUARE, E27 694
ARROCK SLOT POLE, QPAR51 695
ARROCK STONE 50 POLE 695
ARROCK STONE 75 POLE 695
ASMARA LV, QR-C51 475
ASSO 300 WL, PHASE 348, 349
ASTINA STEEL WL, QPAR51 834
ASTINA WL, QPAR51 834
ASTO TUBE SINGLE-PHASE, GU10 523
ASTO TUBE SINGLE-PHASE, PD, GU10 523
ASTO TUBE CL, SINGLE, GU10 149
ASTO TUBE CW, DOUBLE, GU10 381
ASTO TUBE CW, GU10 381
ASTO TUBE CW, QUADRUPLE, GU10 381
ASTO TUBE CW, SINGLE, GU10 381
ASTO TUBE CW, TRIPLE, GU10 381
ASTO TUBE DECORATIVE REFLECTOR 149, 247, 331, 381, 523
ASTO TUBE PD, DOUBLE, GU 10 247
ASTO TUBE PD, GU 10 247
ASTO TUBE PD, QUADRUPLE, GU 10 247
ASTO TUBE PD, SINGLE, GU 10 247
ASTO TUBE PD, TRIPLE, GU 10 247
ASTO TUBE WL, SINGLE, GU10 331
ASTO TUBE WL, UP/DOWN, GU10 331

ACCESSORIES

3-PIN IP68 CONNECTION BOX 919
3-PIN IP68 Y CONNECTION BOX 919
48V SYSTEM ROUND COVER PLATE R80 MM 919
48V SYSTEM SQUARE COVER PLATE 86 MM × 86 MM 919
5-PIN CONNECTION BOX, DALI 919
5-PIN IP68 CONNECTION BOX 919
BOX RELAY DALI 909
CEILING OUTLET DIMMER ZIGBEE 3.0 909
CONTROLLER DALI, DT8 5 CHANNEL 917
CONTROLLER LED STRIP CCT / RGBW 910
CONVERTER DALI -> PHASE DIM 908
DALI INTERFACE 1-10V + ON/OFF 908
DALI INTERFACE PUSH DIMM / DALI PCU TW G2 909
EMERGENCY LIGHT FEATURE DALI 2 917
FITU CABLE CLAMP 918
FITU CEILING HOOK 918
GU10 FITTING 918
GU10 LED CONNECTION BOX WITH BASE, MAX. 10 W 918
LED DRIVER 10W | 180-270MA PHASE 914
LED DRIVER 10W | 500-700MA PHASE 914
LED DRIVER 10W |350MA ROUND 913
LED DRIVER 15W | 100-700MA DALI 915
LED DRIVER 15W | 200-350MA PHASE 915
LED DRIVER 15W | 700MA ROUND 913
LED DRIVER 20 W | 350MA 913
LED DRIVER 20W | 350-500MA PHASE 915
LED DRIVER 20W | 350MA PHASE 914
LED DRIVER 20W | 350MA/500MA PHASE 914
LED DRIVER 21W | 150-500MA 913
LED DRIVER 21W | 500MA STRAIN RELIEF INCLUDED 914
LED DRIVER 23W | 100-700MA DALI 916
LED DRIVER 25W | 150-700MA DALI DIMMABLE 915
LED DRIVER 30W | 500-700MA PHASE 915
LED DRIVER 36W | 100-900MA DALI 916
LED DRIVER 40W | 700-1050MA PHASE 915
LED DRIVER 44W | 700-1050MA 914
LED DRIVER 4W | 350MA 913
LED DRIVER 4W | 700MA 913
LED DRIVER 53W | 650-1400MA DALI 916
LED POWER SUPPLY 100W | 24V DC DALI DIMMABLE INCLUDING STRAIN RELIEF 912
LED POWER SUPPLY 100W | 24V DC STRAIN RELIEF INCLUDED 911
LED POWER SUPPLY 12V | 24W, ROUND 910
LED POWER SUPPLY 12V AC | 50VA CONVENTIONAL 908
LED POWER SUPPLY 150W | 24V DC DALI DIMMABLE INCLUDING STRAIN RELIEF 912
LED POWER SUPPLY 150W | 24V DC STRAIN RELIEF INCLUDED 911
LED POWER SUPPLY 24V | 24W 910
LED POWER SUPPLY 24V | 25W, ROUND 911
LED POWER SUPPLY 24V | 36W 910
LED POWER SUPPLY 24V | 60W 910
LED POWER SUPPLY 250W | 24V DC DALI DIMMABLE INCLUDING STRAIN RELIEF 912
LED POWER SUPPLY 250W | 24V DC STRAIN RELIEF INCLUDED 911
LED POWER SUPPLY 25W | 24V 911
LED POWER SUPPLY 30W | 24V DC DALI DIMMABLE INCLUDING STRAIN RELIEF 912
LED POWER SUPPLY 30W | 24V DC STRAIN RELIEF INCLUDED 911
POWER ADAPTER 100W | 24V DC 912
POWER ADAPTER 50W | 24V 912
REMOTE CONTROL ZIGBEE, CCT/RGBW 917
SLVconnect® BOX RELAY ZIGBEE 3.0 909
SLVconnect® DIN DIMMER ZIGBEE 3.0 909
SLVconnect® G2 DIMMER BOX ZIGBEE 3.0 909
SLVconnect® WHITE 5-BUTTON WIRELESS SWITCH ZIGBEE 3.0 910
STANDARD STRAIN RELIEF 917
STRAIN RELIEF 916
TENSEO 12V AC | 105VA CONVENTIONAL 908
TENSEO 12V AC | 210VA CONVENTIONAL 908
TENSEO 12V AC | 50VA CONVENTIONAL 908
TEXTILE CABLE 10 M 918
THROUGH-WIRABLE STRAIN RELIEF 916, 917

B

BASKET WL, E27 353
BATTEN 120 CW 395
BATTEN 60 CW 395
BIG NAILS 50 POLE, E27 712
BIG NAILS 80 POLE, E27 712
BIG NAUTILUS SP, ROUND, QPAR51 743
BIG PLOT COVER, 2-PACK 889
BIG PLOT COVER, 4-PACK 889
BIG PLOT MODULE 889
BIG QUAD UP/DOWN WL 810
BIG QUAD WL 810
BIG THEO CL 761
BIG THEO CL, QPAR111 761
BIG THEO FLOOD WL, UP/DOWN 796
BIG THEO UP/DOWN WL, QPAR111 796
BIG THEO WL 797
BIG THEO WL, BEAM UP FLOOD DOWN 795
BIG THEO WL, QPAR111 797

BIMA 2.0 SINGLE-PHASE, DOUBLE, QPAR51 503
BIMA 2.0 SINGLE-PHASE, SINGLE, QPAR51 503
BIMA 2.0 THREE-PHASE, DOUBLE, QPAR51 563
BIMA 2.0 THREE-PHASE, SINGLE, QPAR51 563
BOOKAT WL 830
BOX WL, UP/DOWN, QT-DE12 846
BOX-L WL 846
BOX-L WL, E27 846
BRICK DOWNUNDER EL 869
BRICK DOWNUNDER EL, E14 869
BRICK EL, ASYMMETRICAL 868
BRICK EL, SYMMETRICAL 868
BRICK MESH EL 868
BULAN CW, E14 861
BULAN GRID CW, E27 861

C
C-POL 90 POLE, E27 715
CARISO WL, PHASE 351
CHROMBO WL, PHASE 351
CONCRETE 35 POLE, PHASE 670
CONCRETE 55 POLE, PHASE 670
CONCRETO EL, CUT 865
CONCRETO EL, WING 865
CONCRETO FL, ANGULAR, QPAR51 671
CONCRETO FL, ROUND, QPAR 51 671
CONCRETO L WL 785
CONCRETO M WL 785
CONE FL, E27 707
COSMIC LV, QR-C51 477
COUPA WL 356
CUBE CL, PHASE 757
CUBIX FL, QPAR51 705
CYFT CW, PHASE 377
CYFT DECORATIVE RING 377
CYFT DOME CW, PHASE 377
CYFT WAVE CW, PHASE 376
CYFT WAVE XL CW, PHASE 379
CYFT XL CW, PHASE 379
CYFT XL DECORATIVE RING 379

D
D-RING M WL, PHASE 783
D-RING S WL, PHASE 783
DASAR® 115 RL, SQUARE, QPAR51 882
DASAR® 115 RL, ROUND, QPAR51 882
DASAR® 1200 EL, DALI 873
DASAR® 215 RL, SQUARE, QPAR111 885
DASAR® 215 RL, ROUND, QPAR111 885
DASAR® 255 EL 880, 881
DASAR® 370 EL, ROUND 885
DASAR® 600 EL, DALI 873
DASAR® 920 EL 881
DASAR® 920 SP, 230V 745
DASAR® EXACT 116 EL, SQUARE, QPAR51 883
DASAR® EXACT 116 EL, ROUND, QPAR51 883
DASAR® FLAT 120 EL 880
DASAR® FLAT 80 EL 880
DASAR® L RL, ASYM, SQUARE, DALI 876
DASAR® L RL, ASYM, ROUND, DALI 876
DASAR® L RL, SQUARE, DALI 875
DASAR® L RL, ROUND, DALI 875
DASAR® M RL, SQUARE, DALI 875
DASAR® M RL, ROUND, DALI 874
DASAR® PROJECTOR SP, 12/24V 745
DASAR® S RL, ANGULAR 874
DASAR® S RL, ROUND 874
DASAR® XL RL, SQUARE, DALI 877
DASAR® XL RL, ROUND, DALI 876
DASAR® XL, RL, ASYM, ROUND, DALI 877
DASAR® XL, RL, ASYM, SQUARE, DALI 877
DECONA 30 CL, PHASE 160
DECONA 30 CL, SENSOR 160, 161
DECONA 42 CL, PHASE 161, 162
DECONA 42 CL, SENSOR 161, 162
DECONA SUSPENSION KIT, 1.50 M 163
DECONA MOUNTING FRAME 310 MM 162
DECONA MOUNTING FRAME 430 MM 163
DELWA WL 840
DENA 30 WL, E14 353
DIO FLEX PLATE WL 359
DIO FLEX PLATE WL QPAR51 359
DIRETO 60 WL, PHASE 353
DISPLAY ADL 50 QPAR51 361
DL 126 EL 105
DOLIX OUT EL, SQUARE, QPAR51 115
DOLIX OUT EL, ROUND, QPAR51 114
DORISA 30 WL 320
DORISA 50 WL 320
DOWNLIGHT VARIO 220 22 830/840 WH ML 102
DOWNLIGHT VARIO 220 22 830/840 WH ML PIR 103
DOWNLIGHT VARIO 290 28 830/840 WH ML 103
DOWNLIGHT VARIO 290 28 830/840 WH ML PIR 103
DOWNUNDER OUT L EL 867
DOWNUNDER OUT M EL 867
DOWNUNDER OUT S EL 867
DOWNUNDER OUT WL, SQUARE 841
DOWNUNDER OUT WL, ROUND 841
DOWNUNDER PUR 150 EL 121
DOWNUNDER PUR 80 EL 120
DURNO LV 477
DYSKO SINGLE-PHASE, PD, PHASE 513
DYSKO SINGLE-PHASE, PHASE 513
DYSKO 48V, DALI, DEEP & RECESSED TRACK 441
DYSKO 48V, DALI, STANDARD SURFACE MOUNTED TRACK 441
DYSKO 48V, PD, DALI 441
DYSKO CW, DOUBLE, PHASE 289
DYSKO CW, SINGLE, PHASE 289
DYSKO CW, SWITCH, SINGLE, PHASE 289
DYSKO DL, ROUND, PHASE 57
DYSKO PD, PHASE 57, 221

E
ENOLA® 2.0 M SINGLE-PHASE, PD, SINGLE, GU10, QPAR51 501
ENOLA® 2.0 M SINGLE-PHASE, SINGLE, GU10, QPAR51 501
ENOLA® 2.0 M THREE-PHASE, PD, SINGLE, GU10, QPAR51 565
ENOLA® 2.0 M THREE-PHASE, SINGLE, GU10, QPAR51 565
ENOLA® 2.0 M CL, QUAD., GU10, QPAR51, LONG 143
ENOLA® 2.0 M CL, SINGLE, GU10, QPAR51 140
ENOLA® 2.0 M CL, SIX., GU10, QPAR51, LONG 143
ENOLA® 2.0 M CL, TRIPLE, GU10, QPAR51, LONG 141
ENOLA® 2.0 M CL. DOUBLE, GU10, QPAR51 141
ENOLA® 2.0 M CL. DOUBLE, GU10, QPAR51, LONG 141
ENOLA® 2.0 M CW, SINGLE, GU10, QPAR51, ROUND 326
ENOLA® 2.0 M CW, SINGLE, GU10, QPAR51, SQUARED 326
ENOLA® 2.0 M PD, SINGLE, GU10, QPAR51 245
ENOLA® 2.0 M PD, SIX., LONG, GU10, QPAR51 245
ENOLA® 2.0 M RL, DOUBLE, GU10, QPAR51 109
ENOLA® 2.0 M RL, SINGLE, GU10, QPAR51 109
ENOLA® 2.0 M WL, DOUBLE, GU10, QPAR51 327
ENOLA® 2.0 M WL, SINGLE, GU10, QPAR51 327
ENOLA® 2.0 S SINGLE-PHASE, PD, SINGLE, GU10 MINI, PAR11 500
ENOLA® 2.0 S SINGLE-PHASE, SINGLE, GU10 MINI, PAR11 500
ENOLA® 2.0 S THREE-PHASE, PD, SINGLE, GU10 MINI, PAR11 564
ENOLA® 2.0 S THREE-PHASE, SINGLE, GU10 MINI, PAR11 564
ENOLA® 2.0 S CL, DOUBLE, GU10 MINI, PAR11 138
ENOLA® 2.0 S CL, DOUBLE, GU10 MINI, PAR11, LONG 139
ENOLA® 2.0 S CL, TRIPLE, GU10 MINI, PAR11, LONG 139
ENOLA® 2.0 S CW, SINGLE, GU10 MINI, PAR11, ROUND 323
ENOLA® 2.0 S CW, SINGLE, GU10 MINI, PAR11, SQUARED 323
ENOLA® 2.0 S DECORATIVE RING 108, 139, 245, 325, 500, 564
ENOLA® 2.0 S PD, SINGLE, GU10 MINI, PAR11 244
ENOLA® 2.0 S RL, DOUBLE, GU10 MINI, PAR11 108
ENOLA® 2.0 S RL, SINGLE, GU10 MINI, PAR11 108
ENOLA® 2.0 S WL, DOUBLE, GU10 MINI, PAR11 325
ENOLA® 2.0 S WL, SINGLE, GU10 MINI, PAR11 325
ENOLA® 2.0 S WL, SINGLE, GU10 MINI, PAR11, BEDSIDE, USBC 323
ENOLA® 2.0/BIMA 2.0 M DECORATIVE RING 109, 143, 245, 327, 501, 565
ENOLA® M LENS 19° 821
ENOLA® OCULUS CL 758
ENOLA® OCULUS WL, SINGLE 813
ENOLA® OCULUS WL, UP/DOWN 813
ENOLA® ROUND L CL 759
ENOLA® ROUND L WL, SINGLE 816
ENOLA® ROUND L WL, UP/DOWN 817
ENOLA® ROUND M CL 759
ENOLA® ROUND M WL, SINGLE 816
ENOLA® ROUND M WL, UP/DOWN 817
ENOLA® ROUND S CL 759
ENOLA® ROUND S WL, SINGLE 816
ENOLA® ROUND S WL, UP/DOWN 817
ENOLA® S/M/L REFLECTOR 821
ENOLA® SQUARE L WL, SINGLE 818
ENOLA® SQUARE L WL, UP/DOWN 819
ENOLA® SQUARE M CL 761
ENOLA® SQUARE M WL, SINGLE 818
ENOLA® SQUARE M WL, UP/DOWN 819
ENOLA® SQUARE S CL 760
ENOLA® SQUARE S WL, SINGLE 818
ENOLA® SQUARE S WL, UP/DOWN 819
ESKINA D DISPLAY, PHASE 851
ESKINA FRAME 125 POLE, DOUBLE 677

ESKINA FRAME 175 POLE, DOUBLE 677
ESKINA FRAME 45 POLE, SINGLE 676
ESKINA FRAME 75 POLE, DOUBLE 676
ESKINA FRAME 75 POLE, SINGLE 676
ESKINA FRAME CL, SINGLE, PHASE 757
ESKINA FRAME WL 829
ESKINA FRAME WL, DOUBLE 829
ESKINA SPOT CW, PHASE 855
ESKINA SPOT SENSOR CW, PHASE 855
EURO CUBE 2 L THREE-PHASE, DALI 587
EURO CUBE 2 L THREE-PHASE, PHASE 587
EURO CUBE 2 L HONEYCOMB 587
EURO CUBE 2 L OVAL FILTER 587
EURO CUBE 2 M THREE-PHASE, DALI 586
EURO CUBE 2 M THREE-PHASE, PHASE 586
EURO CUBE 2 M HONEYCOMB 586
EURO CUBE 2 M OVAL FILTER 586
EURO SPOT TRACK SINGLE-PHASE, QPAR51 529
EURO SPOT TRACK THREE-PHASE, QPAR111 603
EURO SPOT TRACK THREE-PHASE, QPAR51 603

F

F-POL 85 POLE, E27 715
F-POL WL, E27 849
FENDA 30 CM, ROUND 155, 261, 413
FENDA 45 CM, ROUND 155, 413
FENDA 70 CM, ROUND 155, 413
FENDA CEILING ROSETTE, E27 155
FENDA FL, E27 411, 413
FENDA GLASS SHADE 12.5 CM, ROUND 261
FENDA Ø 45 CM, ROUND 261
FENDA Ø 70 CM, ROUND 261
FENDA PD, E27 260
FENDA TL, E27 411
FENDA WL BASE, E27 355
FERA 25 CL 159
FERA 25 CL, DALI 159
FITU PD, E27 258
FITU PD, E27 RIBBED 258
FITU PD, E27 STONE 258
FITU WALL BRACKET 354
FIX-IT! 48V, DALI, ROUND, DEEP SURFACE MOUNTED TRACK 455
FIX-IT! 48V, DALI, ROUND, STANDARD SURFACE MOUNTED TRACK 454, 455
FIX-IT! 48V, DALI, SQUARE, DEEP SURFACE MOUNTED TRACK 457
FIX-IT! 48V, DALI, SQUARE, STANDARD SURFACE MOUNTED TRACK 456, 457
FLAC BEAM SP 741
FLATT 100 POLE 675
FLATT 65 POLE 675
FLATT II 36 POLE, PHASE 674
FLATT II 62 POLE, PHASE 675
FLATT II WL, UP/DOWN, PHASE 793
FLATT II WL, UP/DOWN, SENSOR 793
FLATT SENSOR WL 794
FLATT WL 794
FORCHINI 50 PD, E27 268
FORCHINI 70 PD, E27 269
FORCHINI M 40 PD, E27 269
FORCHINI M 40 TRACK SINGLE-PHASE, E27 489
FORCHINI M 40 TRACK THREE-PHASE, PD, E27 599
FORCHINI M 50 PD, E27 269
FRAME BASIC RL 116, 117
FRAME BASIC RL, HV 116
FRAME CURVE EL 117

G

GALEN 120 SP 738
GALEN 60 SP 738
GALEN PRO 120 WL, DALI 739
GALEN PRO 60 WL, DALI 739
GLENOS® 2.0 CL, 1,2 M, DALI, UGR22 167
GLENOS® 2.0 PD, 1,2 M, DALI, UGR19 248
GLENOS® 2.0 PD, 1,5 M, DALI, UGR19 249
GLENOS® 2.0 WL, 1,5M, DALI, UGR22 320
GLENOS® PRO CL, 1,2 M, DALI, UGR19 167
GLENOS® PRO PD, 1,2 M, DALI, UGR16 249
GLENOS® PRO PD, 1,5M, DALI, UGR16 249
GLENOS® PRO RL, 1,2 M, DALI, UGR19 87
GLOO PURE 27 POLE, E27 702
GLOO PURE 44 POLE, E27 702
GLOO PURE 70 POLE, E27 702
GLOO PURE WL, E27 848
GRAFIT 30 POLE, E27 683
GRAFIT 30 POLE, ROUND, E27 681
GRAFIT 60 POLE, E27 683
GRAFIT 60 POLE, ROUND, E27 681
GRAFIT 90 POLE, E27 683
GRAFIT 90 POLE, ROUND, E27 681
GRAFIT WL, ANGULAR, E27 823
GRAFIT WL, SQUARE, SENSOR, E27 823
GRAFIT WL, ROUND, E27 823
GRAFIT WL, ROUND, SENSOR, E27 822
GRAZIA 60 | RECESSED PROFILE 632
GRAZIA 60 | RECESSED PROFILE, ACCESSORIES 632
GRID CUBE FL 639
GRID SUN FL 639
GRIP! FLAT SINGLE-PHASE, PD, PHASE 511
GRIP! FLAT SINGLE-PHASE, PHASE 511
GRIP! FLAT 48V, DALI 459
GRIP! FLAT 48V, PD, DALI 459
GRIP! FLAT CL, PHASE 329
GRIP! FLAT PD, PHASE 255
GRIP! L SINGLE-PHASE, PD, QPAR51, Ø 5,7 CM 507
GRIP! L SINGLE-PHASE, QPAR51, Ø 5,7 CM 507
GRIP! L THREE-PHASE, PD, QPAR51, Ø 5,7 CM 569
GRIP! L THREE-PHASE, QPAR51, Ø 5,7 CM 569
GRIP! L CL, DOUBLE, QPAR51, Ø 5,7 CM 147
GRIP! L CL, QPAR51, Ø 5,7 CM 147
GRIP! L CL, SINGLE, QPAR51, Ø 5,7 CM 147
GRIP! L DECORATIVE RING 509, 569
GRIP! L WL, UP OR DOWN, 1X QPAR51, Ø 5,7 CM 329
GRIP! L WL, UP/DOWN, 2X QPAR51, Ø 5,7 CM 329
GRIP! M SINGLE-PHASE, PHASE, Ø 4,3 CM 506
GRIP! M THREE-PHASE, DALI, Ø 4,3 CM 566
GRIP! M THREE-PHASE, PHASE, Ø 4,3 CM 567
GRIP! M 48V, DALI, DEEP & RECESSED TRACK, Ø 4,3 CM 465
GRIP! M CL, DOUBLE, PHASE, Ø 4,3 CM 145
GRIP! M CL, SINGLE, PHASE, Ø 4,3 CM 145
GRIP! M DECORATIVE RING 145, 567
GRIP! M DECORATIVE RING + SPACER 509
GRIP! M EL, PHASE, Ø 4,3 CM 111
GRIP! S SINGLE-PHASE, PHASE, Ø 3,0 CM 505
GRIP! S 48V, DALI, DEEP & RECESSED TRACK, Ø 3,0 CM 461
GRIP! S 48V, DALI, STANDARD TRACK, Ø 3,0 CM 460, 461
GRIP! S 48V, PD, DALI, Ø 3,0 CM 463
GRIP! S CL, DOUBLE, PHASE, Ø 3,0 CM 144
GRIP! S CL, SINGLE, PHASE, Ø 3,0 CM 144
GRIP! S DECORATIVE RING + SPACER 509
GRIP! S EL, PHASE, Ø 3,0 CM 111
GRIP! S MINI 48V, DALI, SHORT, STANDARD TRACK, Ø 3,0 CM 463
GRIP! S PD, PHASE, Ø 3,0 CM 195
GRIP! S WL, Ø 3,0 CM, ON/OFF SWITCH 328
GRIP! S WL, PHASE, UP/DOWN, Ø 3,0 CM 328
GRIP! S WL, RECESSED, Ø 3,0 CM 111

H

H-POL 30 POLE 720
H-POL 60 POLE 720
H-POL TWIN 60 POLE 720
HAVEN 25 SINGLE-PHASE, E27 487
HAVEN 25 THREE-PHASE, E27 555
HAVEN 35 PD, E27 175
HAVEN 50 PD, E27 175
HELIA 30 PD, PHASE 264
HELIA 40 PD, PHASE 265
HELIA 50 TRACK SINGLE-PHASE 527
HELIA 50 TRACK THREE-PHASE 605
HELIA CW, DOUBLE 857
HELIA CW, SINGLE 857
HELIA PRO L WL, SINGLE, DALI P1 804
HELIA PRO L WL, SINGLE, DALI P2 805
HELIA PRO L WL, UP/DOWN, DALI P1 804
HELIA PRO L WL, UP/DOWN, DALI P2 805
HELIA PRO S WL, SINGLE, DALI P1 802
HELIA PRO S WL, SINGLE, DALI P2 803
HELIA PRO S WL, UP/DOWN, DALI P1 802
HELIA PRO S WL, UP/DOWN, DALI P2 803
HELIA SLIM POLE, DOUBLE 747
HELIA SLIM POLE, SINGLE 747
HELIA SPOT L SP, SINGLE, PHASE 740
HELIA SPOT S SP, SINGLE 740
HORN 1 EL, SINGLE, QPAR51 92
HORN DL, DOUBLE, QPAR51 91
HORN DL, GU10, BLOWER DOOR TESTED 93
HORN DL, SINGLE, ASYMMETRICAL, QPAR51 91
HORN DL, SINGLE, QPAR51 91, 92
HORN MAGNA EL 93
HORN MINI EL 90
HORN T EL, QPAR111 93

I

I-RING 65 POLE 653
I-RING WL 783
IN-LINE 22 48V, DARKLIGHT REFLECTOR, DALI 450
IN-LINE 22 48V, OPAL, DALI 450
IN-LINE 24 48V, MOVE, DARKLIGHT REFLECTOR, DALI 453
IN-LINE 44 48V, DARKLIGHT REFLECTOR, DALI 451
IN-LINE 44 48V, OPAL, DALI 451
IN-LINE 46 48V, MOVE, DARKLIGHT REFLECTOR, DALI 453
IPERI 50 POLE 726
IPERI WL 849

K

KADUX DL, DOUBLE, DALI 14
KADUX DL, DOUBLE, PHASE 15
KADUX DL, SINGLE, DALI 14
KADUX DL, SINGLE, PHASE 15

KADUX DL, TRIPLE, PHASE 15
KADUX EL, DOUBLE, QPAR111 17
KADUX EL, DOUBLE, QPAR51 16
KADUX EL, SINGLE, QPAR111 17
KADUX EL, SINGLE, QPAR51 16
KADUX EL, TRIPLE, QPAR51 16
KALU 2.0 SINGLE-PHASE, PHASE 519
KALU 2.0 THREE-PHASE, DALI 589
KALU 2.0 THREE-PHASE, PHASE 589
KALU 2.0 48V, DALI, STANDARD SURFACE MOUNTED TRACK 439
KALU 2.0 CW, DOUBLE LONG, PHASE 374
KALU 2.0 CW, SINGLE, PHASE 374
KALU 2.0 CW, TRIPLE LONG, PHASE 374
KALU CW, DOUBLE, QPAR111 383
KALU CW, QPAR111 383
KALU CW, QUAD, QPAR111 383
KALU CW, SINGLE, QPAR111 383
KALU CW, TRIPLE, QPAR111 383
KALU TRACK SINGLE-PHASE, QPAR111 519
KALU TRACK THREE-PHASE, QPAR111 589
KARDAMOD CL, DOUBLE, SQUARE, QPAR111 153
KARDAMOD CL, SINGLE, SQUARE, QPAR111 153
KARPO 30 CW, SINGLE 357
KARPO 30 EL 110
KARPO 30 WL, SINGLE 357
KARPO FL 415
KARPO GOOSE WL 356
KARPO MAGN CW, SINGLE, PHASE 356
KARPO TL 415
KARPO WL 357
KENKUA SPOT WL, E27 355
KINI EL, PHASE 115

L

L-LINE 120 WL 321
L-LINE 60 WL 321
L-LINE OUT 30 FL, HORIZONTAL 696
L-LINE OUT 50 POLE 697
L-LINE OUT 60 FL, HORIZONTAL 697
L-LINE OUT 80 POLE 697
L-LINE OUT WL 847
LALU® SET SINGLE-PHASE, PD, LED BASE, PHASE 491, 493
LALU® SET 48V, PD, LED BASE, DALI 466, 467
LALU® SET PD, E27 BASE 216, 217
LALU® SET PD, LED BASE, PHASE 218, 219
LALU® SET PD, LED BASE, PHASE, RECESSED 220, 221
LED SPIKE SP 749
LED SPOT SP 853
LED STRIP COB | M 622
LED STRIP COB | S 616
LED STRIP COB | XS 614
LED STRIP COB IP67 | S 620
LED STRIP COB IP67 RGBW | S 620
LED STRIP COB IP67 TW | S 620
LED STRIP COB RGBW | S 618
LED STRIP COB TW | S 618
LED STRIP PROFILE CORNER | M 630
LED STRIP PROFILE CORNER | S 628
LED STRIP PROFILE RECESSED | M 630
LED STRIP PROFILE RECESSED | S 628
LED STRIP PROFILE RECESSED PLASTER | XS 626
LED STRIP PROFILE RECESSED TILES | XS 626
LED STRIP PROFILE SURFACE | M 630
LED STRIP PROFILE SURFACE | S 628
LED STRIP PROFILE SURFACE | XS 626
LED STRIP PROFILE SURFACE FLAT | M 630
LED STRIP PROFILE SURFACE FLAT | S 628
SMD LED STRIP | M 623
SMD LED STRIP | S 617
SMD LED STRIP | XS 615
IP67 SMD LED STRIP | S 621
RGBW SMD LED STRIP | S 619, 621
TW SMD LED STRIP | S 619, 621
LED STRIP, ACCESSORIES 624, 625
LED STRIP PROFILES, ACCESSORIES 618–625
LID I 45 POLE, SINGLE, PHASE 654
LID I 75 POLE, DOUBLE, PHASE 654
LID I WL, DOUBLE, PHASE 781
LID I WL, SINGLE, PHASE 780
LID II WL, SINGLE, PHASE 781
LID II WL. UP/DOWN, PHASE 781
LIGHT EYE® 150 SINGLE-PHASE, PD, QPAR111 515
LIGHT EYE® 150 SINGLE-PHASE, QPAR111 514
LIGHT EYE® 150 THREE-PHASE, PD, QPAR111 601
LIGHT EYE® 150 THREE-PHASE, QPAR111 601
LIGHT EYE® 150 DECORATIVE RING Ø 13,6 CM 243, 515, 601
LIGHT EYE® 150 PD, QPAR111 243
LIGHT EYE® 2.0 SINGLE-PHASE, PD, Ø 7,5 CM 517
LIGHT EYE® 2.0 SINGLE-PHASE, PHASE, Ø 7,5 CM 517
LIGHT EYE® 2.0 48V, DALI, Ø 7,5 CM 439
LIGHT EYE® 2.0 48V, PD, DALI, Ø 7,5 CM 439
LIGHT EYE® 90 SINGLE-PHASE, PD, QPAR51 515
LIGHT EYE® 90 SINGLE-PHASE, QPAR51 514
LIGHT EYE® 90 THREE-PHASE, PD, QPAR51 600
LIGHT EYE® 90 DECORATIVE RING Ø 5,7 CM 243, 515, 601
LIGHT EYE® 90 PD, QPAR51 243
LINIUS 120 PD, DALI, CANOPY 235
LINIUS 120 PD, DALI, RECESSED 235
LINIUS 120 PD, PHASE, CANOPY 234
LINIUS 120 PD, PHASE, RECESSED 235
LINIUS 150 PD, DALI, CANOPY 237
LINIUS 150 PD, DALI, RECESSED 237
LINIUS 150 PD, PHASE, CANOPY 236
LINIUS 150 PD, PHASE, RECESSED 237
LIPSY® 2.0 30 CW, DOME 390
LIPSY® 2.0 30 CW, DRUM 392
LIPSY® 2.0 30 CW, HF, DOME 390
LIPSY® 2.0 30 CW, HF, DRUM 392
LIPSY® 2.0 40 CW, 3H EM, DOME 391
LIPSY® 2.0 40 CW, 3H EM, DRUM 393
LIPSY® 2.0 40 CW, DOME 391
LIPSY® 2.0 40 CW, DRUM 393
LIPSY® 2.0 40 CW, HF, DOME 391
LIPSY® 2.0 40 CW, HF, DRUM 393
LISENNE 40 POLE, E27 708
LISENNE 70 POLE, E27 708
LOGS 40 POLE 679
LOGS 70 POLE 679
LOGS IN L WL, DALI 345
LOGS IN L WL, PHASE 345
LOGS IN WL 344
LOGS IN WL, PHASE 344
LOGS WL 847
LYGANT WL, DOUBLE 279
LYGANT WL, SINGLE 279

LIGHT BULB

LED A60 E27 900
LED A60 E27, HIGH EFFICIENCY 900
LED A60 E27, MIRRORHEAD CHROM 903
LED A60 GU10 897
LED C35 E14 896, 897
LED C35 E14, GOLD CURLY FILAMENT 896
LED G45 E14, GOLD CURLY FILAMENT 896
LED GLOBE 125 E27 903
LED GLOBE 125 E27, BLACK SMOKEY 901
LED GLOBE 125 E27, CRESCENT SLANTING SMOKEY 901
LED GLOBE 125 E27, HALF MOON 903
LED GLOBE 125 E27, SLANTING TOP SMOKEY 901
LED GLOBE 125 E27, SOFT CURVE SMOKEY 900
LED GLOBE 150 E27, BLACK SMOKEY 901
LED GLOBE 150 E27, TWISTED SMOKEY GREY 900
LED GLOBE 200 E27, BLACK SMOKEY 901
LED GLOBE 300 E27, BLACK SMOKEY 901
LED QPAR 111 GU10 899
LED QPAR111 GU10 899
LED QPAR51 GU10 898
LED QR51 GU5.3 897
LED QT-DE12 R7S, 118 MM 896
LED QT-DE12 R7S, 78 MM 896
LED QT14 G9 896
LED ST58 E27 903
LED ST64 E27, GOLD 902
LED ST64 E27, GOLD CURLY FILAMENT 903
LED T32 E27, SLIM TUBE 902
LED T32 E27, SOFT SPIRAL 902
LED T32 E27, SOFT TUBE 902
LED T32 GU10 897
LED T38 E27 902
LED T45 E27 902
LED TCR-TSE GX53 897
LED, PAR11 GU10 899
SLVconnect® LED A60 SMART E27, RGBW, ZIGBEE 3.0 904
SLVconnect® LED A60 SMART E27, ZIGBEE 3.0 904
SLVconnect® LED PAR16 SMART GU10, RGBW, ZIGBEE 3.0 904
SLVconnect® LED PAR16 SMART GU10, TUNABLE WHITE, ZIGBEE 3.0 904
SLVconnect® LED PAR16 SMART GU10, ZIGBEE 3.0 904

M

M-POL 30 POLE 667
M-POL 60 POLE 667
M-POL 60 POLE, SOCKET 666
M-POL 90 POLE 667
M-POL COVER 666
M-POL M POLEHEAD 663
M-POL M POLEHEAD, DALI 663
M-POL M POLEHEAD, LOUVER 665
M-POL M POLEHEAD, LOUVER, DALI 665
M-POL M POLEHEAD, SHADER 664
M-POL M POLEHEAD, SHADER, DALI 665
M-POL S POLEHEAD 661
M-POL S POLEHEAD 180°, GLARE-FREE 660
M-POL S POLEHEAD 180°, GLARE-FREE, DALI 661
M-POL S POLEHEAD 360°, GLARE-FREE 660
M-POL S POLEHEAD 360°, GLARE-FREE, DALI 660
M-POL S POLEHEAD, DALI 661
M-POL S POLEHEAD, LOUVER 662
M-POL S POLEHEAD, LOUVER, DALI 663
M-POL S POLEHEAD, SHADER 662

M-POL S POLEHEAD, SHADER, DALI 662
MAGANDA WL 319
MAGICO 20 PD, E27 185
MAGICO 38 PD, E27 185
MAGICO 55 PD, E27 185
MANA 40 SHADE, ROUND 335
MANA 40 SHADE, ROUND, ACOUSTIC FELT 334
MANA 40 SHADE, ROUND, MOON STRUCTURE 335
MANA 60 SHADE, ROUND 335
MANA 60 SHADE, ROUND, ACOUSTIC FELT 334
MANA 60 SHADE, ROUND, MOON STRUCTURE 335
MANA BASE ROUND 334
MANA BASE WL, ROUND, PHASE 333
MARONA CL, PHASE 163
MECANICA 2.0 TL, LED, CCT 414
MEDO® 2.0 SLIM 30 CL, DALI 200, 300
MEDO® 2.0 SLIM 30 CL, PHASE 198, 298
MEDO® 2.0 SLIM 40 CL, DALI 201, 300
MEDO® 2.0 SLIM 40 CL, PHASE 199, 299
MEDO® 2.0 SLIM 60 CL, DALI 201, 300
MEDO® 2.0 SLIM 60 CL, PHASE 199, 299
MEDO® 2.0 SLIM 80 CL, DALI 201, 301
MEDO® 2.0 SLIM 80 CL, PHASE 199, 299
MEDO® 2.0 SUSPENSION KIT 1.5 M CENTRAL SUSPENSION KIT 205, 301
MEDO® 2.0 SUSPENSION KIT 3 M PARALLEL SUSPENSION KIT 205, 301
MEDO® 2.0 SUSPENSION KIT 5 M CENTRAL SUSPENSION KIT 205, 301
MEDO® 30 RL, FRAME 88
MEDO® 40 RL, FRAME 89
MEDO® 60 RL, FRAME 89
MEDO® 90 RL, FRAME 89
MEDO® 2.0 HYVE 40 CL, DALI 202, 302
MEDO® 2.0 HYVE 40 CL, PHASE 202, 302
MEDO® 2.0 HYVE 60 CL, DALI 203, 303
MEDO® 2.0 HYVE 60 CL, PHASE 202, 302
MEDO® 2.0 HYVE 80 CL, DALI 203, 303
MEDO® 2.0 HYVE 80 CL, PHASE 203, 303
MEDO® PRO 30 CW, DALI 210, 307
MEDO® PRO 30 CW, DALI, UGR<19 208, 304
MEDO® PRO 30 CW, PHASE 211, 307
MEDO® PRO 30 CW, PHASE, UGR<19 208, 305
MEDO® PRO 40 CW, DALI 211, 308
MEDO® PRO 40 CW, DALI, UGR<19 208, 305
MEDO® PRO 40 CW, PHASE 211, 308
MEDO® PRO 40 CW, PHASE, UGR<19 209, 305
MEDO® PRO 60 CW, DALI 212, 308
MEDO® PRO 60 CW, DALI, UGR<19 209, 306
MEDO® PRO 60 CW, PHASE 213, 309
MEDO® PRO 60 CW, PHASE, UGR<19 209, 306
MEDO® PRO 90 CL, DALI 213, 309
MEDO® PRO 90 CL, DALI, UGR<19 210, 306
MEDO® PRO 90 CL, PHASE 213, 309
MEDO® PRO 90 CL, PHASE, UGR<19 210, 307
MEDO® RING 60 PD, DALI 206
MEDO® RING 60 PD, PHASE 207
MEDO® RING 90 PD, DALI 207
MEDO® RING 90 PD, PHASE 207
MELAN CW, E27 395
MERADO FLOOD WL, PHASE 361
MERIDIAN BOX WL, E27 827
MERIDIAN BOX WL, E27, SENSOR 827
MERIDIAN WL, E27 826
MIBO UP/DOWN WL, QT14 319
MOBALA EL 121
MODELA WL, UP/DOWN, PHASE 778
MOLAT 100 POLE, E27 707
MOLAT CL, E27 763
MOLAT PD, E27 707
MOLAT WL, E27 848
MOTUNA CW, PHASE 163, 375
MOTUNA PD, PHASE 197
MYRA CW, SINGLE, QPAR51 853
MYRA DISPLAY WL, CURVED, QPAR51 851
MYRA SPOT DOUBLE, GU10 727
MYRA UP/DOWN WL, QPAR51 839
MYRA WL, DOUBLE, QPAR51 851
NAUTILUS 10 SP, SQUARE 742
NAUTILUS 10 SP, ROUND, QPAR51 743
NAUTILUS 10 SPOT SP, LED 744
NAUTILUS 10 SPOT SP, QPAR51 744
NAUTILUS SP, QR-C51 744
NAUTILUS WL QPAR51 853

N

NEW TRIA® 64
NEW TRIA® 150 DL, ROUND, QPAR111 86
NEW TRIA® 155 DL, DOUBLE 73
NEW TRIA® 155 DL, DOUBLE, QPAR51 73
NEW TRIA® 155 RING, DOUBLE, SQUARE GU10/LED MODULE 83
NEW TRIA® 300 DL, ANGULAR, QPAR111 87
NEW TRIA® 45 DL, ROUND 73
NEW TRIA® 68 DL, DTW, PHASE 62
NEW TRIA® 68 DL, PHASE 58, 60
NEW TRIA® 68 DL, PHASE, AIRTIGHT 66
NEW TRIA® 68 DL, QPAR51 68
NEW TRIA® 68 RING, ROUND, GU10/LED MODULE 77
NEW TRIA® 68 RING, ROUND, GU10/LED-MODULE 76, 77
NEW TRIA® 68 RING, SQUARE, GU10/LED MODULE 77
NEW TRIA® 68 RING, SQUARE, GU10/LED-MODULE 76, 77
NEW TRIA® 75 / XL DL, QPAR51 70
NEW TRIA® 75 DL, ROUND, PHASE 60
NEW TRIA® 75 RING, ROUND, GU10/LED MODULES 79
NEW TRIA® 75 RING, ROUND, GU10/LED MODULES 79
NEW TRIA® 75 RING, SQUARE, GU10/LED MODULES 79
NEW TRIA® 75 XL RING, ROUND, GU10/LED MODULES 79
NEW TRIA® 75 XL RING, SQUARE, GU10/LED MODULES 79
NEW TRIA® 95 RING, ROUND, LED MODULES 81
NEW TRIA® 95 RING, SQUARE, LED MODULES 81
NEW TRIA® DL, DOUBLE, LED MODULE, PHASE 83
NEW TRIA® DL, DOUBLE, QPAR111 87
NEW TRIA® DL, LED MODULE, DTW, PHASE 75
NEW TRIA® DL, LED MODULE, PHASE 75, 81
NEW TRIA® UNIVERSAL DL, LED MODULE, PHASE 75
NOBLO® CW, DOUBLE, PHASE 373
NOBLO® CW, DOUBLE, PHASE, DTW 371
NOBLO® CW, SINGLE, PHASE 373
NOBLO® CW, SINGLE, PHASE, DTW 371
NOBLO® CW, TRIPLE, PHASE 373
NOBLO® CW, TRIPLE, PHASE, DTW 371
NOBLO® SPOT SINGLE-PHASE, PHASE 521
NOBLO® SPOT SINGLE-PHASE, TRIPLE TRACK SET 521
NOBLO® SPOT THREE-PHASE, PHASE 585
NOBLO® SPOT LV, ROPE TRACK 477
NOTAPO L RL 119
NOTAPO S RL 119
NUMINOS® GIMBLE L 44
NUMINOS® GIMBLE M 42
NUMINOS® GIMBLE S 40
NUMINOS® GIMBLE XL 46
NUMINOS® GIMBLE XS 38
NUMINOS® L DL 24
NUMINOS® L THREE-PHASE, PHASE 576
NUMINOS® L CL 134
NUMINOS® L CL, PHASE 294
NUMINOS® L PD, PHASE 190
NUMINOS® M DL 22
NUMINOS® M THREE-PHASE, PHASE 574
NUMINOS® M CL 132
NUMINOS® M CL, PHASE 292
NUMINOS® M PD, PHASE 188
NUMINOS® MOVE L 34
NUMINOS® MOVE M 32
NUMINOS® MOVE S 30
NUMINOS® MOVE XL 36
NUMINOS® MOVE XS 28
NUMINOS® S DL 20
NUMINOS® S THREE-PHASE, PHASE 572
NUMINOS® S 48V, DALI 444, 448
NUMINOS® S CL 130
NUMINOS® S CW, PHASE 290
NUMINOS® S PD, PHASE 186
NUMINOS® XL DL 26
NUMINOS® XL THREE-PHASE, PHASE 578
NUMINOS® XL CL 136
NUMINOS® XL CL, PHASE 296
NUMINOS® XL PD, DALI 192
NUMINOS® XS DL 18
NUMINOS® XS 48V, DALI 442, 446
NUMINOS® ZOOM M THREE-PHASE PHASE 580

O

OCCULDAS 13 CL, INDIRECT, PHASE 150
OCCULDAS 14 EL, INDIRECT, PHASE 107
OCCULDAS 23 CL, INDIRECT, PHASE 151
OCCULDAS 23 EL, INDIRECT, PHASE 107
OCULUS CL DTW, PVD 148
OCULUS CL, MOVE, PHASE 107
OCULUS CL, PHASE 148
OCULUS PD DTW, PVD 257
OCULUS PD, SINGLE, PHASE 257
OCULUS UP/DOWN WL, PHASE 337
OCULUS WL UP/DOWN DTW, PVD 337
OCULUS WL, SINGLE, PHASE 337
OLYPSO 40 PD, E27 183
OLYPSO 50 PD, E27 183
ONE 40 CW, DALI 313
ONE 40 CW, DALI, UP/DOWN 311
ONE 40 CW, PHASE, UP/DOWN 310
ONE 60 CW, DALI 313
ONE 60 CW, DALI, UP/DOWN 311
ONE 60 CW, PHASE, UP/DOWN 311
ONE 60 PD, DALI 227
ONE 60 PD, DALI, UP/DOWN 227
ONE 60 PD, PHASE, UP/DOWN 227
ONE 80 PD, DALI 229
ONE 80 PD, DALI, UP/DOWN 229
ONE BOW FL 405
ONE CUBE PD, DALI 225
ONE CUBE UP/DOWN PD, DALI, UP/DOWN 225
ONE DOUBLE PD, DALI, UP/DOWN 231
ONE DOUBLE PD, PHASE, UP/DOWN 231

ONE FELT PLATE, ACOUSTIC FELT, FOR ONE 80/ ONE CUBE 225, 229
ONE FLAT PD, DALI, TRIPLE 223
ONE FLAT PD, PHASE, SINGLE 223
ONE LINEAR 100 PD, PHASE, UP/DOWN 233
ONE LINEAR 140 PD, PHASE, UP/DOWN 233
ONE LINEAR 50 WL, PHASE, UP/DOWN 312
ONE LINEAR 70 WL, PHASE, UP/DOWN 313
ONE STRAIGHT FL 405
ONE TRIPLE PD, DALI 231
ONE VERTICAL PD, PHASE 224
ORDI II 45 POLE, PHASE 723
ORDI II 70 POLE, PHASE 723
ORDI II 70 POLE, SENSOR 723
ORDI II WL, PHASE 845
ORDI II WL, SENSOR 845
ORDI WL 844
ORDI WL, SENSOR 844
OSSA 180 WL, QT-DE12 349
OSSA 300 WL, QT-DE12 349
OTOS GLAS POLE, E27 705
OUT-BEAM UP/ FLOOD DOWN WL, UP/FLOOD DOWN 847
OVAL 14 WL, UP/DOWN 784
OVAL 18 WL, UP/DOWN 784
OVALISK 100 POLE 701
OVALISK 75 POLE 701
OVALISK CL 763
OVALISK SENSOR WL 831
OVALISK WL 831
OVANA 30 CL, LED, PHASE, CCT 165
OVANA 30 CL, LED, ZIGBEE, TW 164
OVANA 44 CL, LED, PHASE, CCT 165
OVANA 44 CL, LED, ZIGBEE, TW 165
OVANA 44 PD, LED, PHASE, CCT 197

P

PANEL 60 CL, ROUND, DALI 169
PANEL 60 CL, ROUND, PHASE 169
PANEL 60 PD, ROUND, DALI 253
PANEL 60 PD, ROUND, PHASE 253
PANEL TRACK SINGLE-PHASE, SQUARE 527
PANEL TRACK SINGLE-PHASE, ROUND 527
PANTILO 20 PD, E27 240
PANTILO 28 PD, E27 240
PANTILO CONVEX 29 PD, E27 241
PANTILO CONVEX 40 PD, E27 241
PANTILO OVAL PD, E27 240
PANTILO ROPE 19 TL, E27 409
PANTILO ROPE 19 CW, E27 375
PANTILO ROPE 19 PD, E27 239
PANTILO ROPE 20 PD, E27 239
PANTILO ROPE 27 CW, E27 375
PANTILO ROPE 27 FL, E27 409
PANTILO ROPE 27 PD, E27 239
PANTILO ROPE WL, G9 322
PANTILO SLIM TL, E27 408
PANTILO TL, E27 409
PARA 380 PD E27 273
PARA CONE 14 SINGLE-PHASE, GU10 525
PARA CONE 14 SINGLE-PHASE, PD, GU10 525
PARA CONE 14 THREE-PHASE, GU10 596
PARA CONE 14 THREE-PHASE, PD, GU10 597
PARA CONE 20 PD, E27 265
PARA CONE 30 PD, E27 265
PARA CONE GL SINGLE-PHASE, GU10 525
PARA CONE GL THREE-PHASE, GU10 597
PARA CONE GL PD, GU10 597
PARA DOME PD, E27 273
PARA DOME SHADE 273
PATTA-F EL, SQUARE, PHASE 123
PATTA-F EL, ROUND, PHASE 123
PATTA-I DL, ANGULAR, PHASE 122
PATTA-I EL, SQUARE, PHASE 123
PATTA-I EL, ROUND, PHASE 122
PEMA® WL 832, 833
PEMA® WL, E27 833
PHELIA 10 PD, E27 267
PHELIA 25 PD, E27 267
PHELIA 30 PD, E27 267
PHELIA FL, E27 415
PHELIA WL, QPAR51 361
PHOTONI 45 POLE, E27 649
PHOTONI 75 POLE, E27 649
PHOTONI CL, E27 754
PHOTONI CYL 45 POLE, E27 648
PHOTONI CYL 75 POLE, E27 649
PHOTONI CYL CL, E27 754
PHOTONI CYL WL, E27 779
PHOTONI WL, E27 779
PHOTONIA POLE, E27 705
PHOTONIA WL, E27 848
PIKA DL, ROUND, QPAR51, PIVOTING 105
PIKA DL, ROUND, QPAR51, FIXED 105
PL-BEAM PRO M LAMP SHIELD 737
PL-BEAM PRO M SP, DALI 735
PL-BEAM PRO M SP, DALI, ASYM 735
PL-BEAM PRO M HONEYCOMB GRID 737
PL-BEAM PRO S LAMP SHIELD 737
PL-BEAM PRO S SP, DALI 734
PL-BEAM PRO S SP, DALI, ASYM 734
PL-BEAM PRO S HONEYCOMB GRID 737
PL-BEAM PRO S/M MAST CLAMP 737
PL-BEAM WALL BRACKET 737
PLASTRA 101 WL, E14 341
PLASTRA 104 CL, E27 159
PLASTRA 104 WL, QT14 341
PLASTRA 105 CL, E27 158
PLASTRA CL, PHASE 158
PLASTRA CL, QPAR51 158
PLASTRA RL, SQUARE, QPAR51 113
PLASTRA RL, ROUND, QPAR51 113
PLASTRA WL, CUBE, QT14 338
PLASTRA WL, CURVE, QT-DE12 341
PLASTRA WL, E14 339
PLASTRA WL, ANGULAR 340
PLASTRA WL, SEMICIRCULAR 339
PLASTRA WL, QPAR51 340
PLASTRA WL, RECTANGULAR, QT-DE12 339
PLASTRA WL, ROUND SHIELD 340
POWER TRAIL-LITE® EL, SQUARE 887
POWER TRAIL-LITE® EL, ROUND 887
PROFIL SETS | S SURFACE-MOUNTED PROFILE + DIFFUSER 613
PURI 2.0 SINGLE-PHASE, TRIPLE TRACK SET, QPAR51 498
PURI 2.0 CONE SINGLE-PHASE, PD, QPAR51 497
PURI 2.0 CONE SINGLE-PHASE, QPAR51 495
PURI 2.0 CONE THREE-PHASE, PD, QPAR51 559
PURI 2.0 CONE THREE-PHASE, QPAR51 557
PURI 2.0 CONE CW, DOUBLE ASYM., QPAR51 365
PURI 2.0 CONE CW, DOUBLE LONG, QPAR51 364
PURI 2.0 CONE CW, QPAR51 364
PURI 2.0 CONE CW, QUADRUPLE LONG, QPAR51 365
PURI 2.0 CONE CW, SWITCH, SINGLE, QPAR51 365
PURI 2.0 CONE CW, SINGLE, QPAR51 365
PURI 2.0 CONE CW, TRIPLE LONG, QPAR51 365
PURI 2.0 CONE CW, TRIPLE ROUND, QPAR51 365
PURI 2.0 CONE SHADE 369, 499, 561
PURI 2.0 DOME SINGLE-PHASE, QPAR51 495, 497
PURI 2.0 DOME THREE-PHASE, PD, QPAR51 559
PURI 2.0 DOME THREE-PHASE, QPAR51 557
PURI 2.0 DOME CW, DOUBLE ASYM., QPAR51 367
PURI 2.0 DOME CW, DOUBLE LONG, QPAR51 366
PURI 2.0 DOME CW, QPAR51 366
PURI 2.0 DOME CW, QUADRUPLE LONG, QPAR51 367
PURI 2.0 DOME CW, SWITCH, SINGLE, QPAR51 367
PURI 2.0 DOME CW, SINGLE, QPAR51 367
PURI 2.0 DOME CW, TRIPLE LONG, QPAR51 367
PURI 2.0 DOME CW, TRIPLE ROUND, QPAR51 367
PURI 2.0 DOME SHADE 369, 499, 561
PURI 2.0 TUBE SINGLE-PHASE, PD, QPAR51 497
PURI 2.0 TUBE SINGLE-PHASE, QPAR51 495
PURI 2.0 TUBE THREE-PHASE, PD, QPAR51 559
PURI 2.0 TUBE THREE-PHASE, QPAR51 557
PURI 2.0 TUBE CW, DOUBLE ASYM., QPAR51 363
PURI 2.0 TUBE CW, DOUBLE LONG, QPAR51 362
PURI 2.0 TUBE CW, QPAR51 362
PURI 2.0 TUBE CW, QUADRUPLE LONG, QPAR51 363
PURI 2.0 TUBE CW, SWITCH, SINGLE, QPAR51 363
PURI 2.0 TUBE CW, SINGLE, QPAR51 363
PURI 2.0 TUBE CW, TRIPLE LONG, QPAR51 363
PURI 2.0 TUBE CW, TRIPLE ROUND, QPAR51 363
PURI 2.0 TUBE SHADE 369, 499, 561

Q

Q-LINE® WL 321
Q-RING WL, PHASE 782
Q-RING WL, SENSOR 782
QUAD FRAME 14 WL 346
QUAD FRAME 19 WL 346
QUAD POLE 726
QUAD PRO 60 POLE, DALI 655
QUAD PRO 90 POLE, DALI 655
QUAD UP/DOWN 15 WL 811
QUAD WL 811
QUADRASYL 75 POLE, TCR-TSE 726
QUADRASYL PRO 70 POLE, DALI 645
QUADRASYL PRO 90 POLE, DALI 645
QUADRASYL PRO WL, SINGLE, DALI, ASYM 777
QUADRASYL PRO WL, UP/DOWN, DALI 777
QUADRASYL WL, TCR-TSE 849
QUADRULO CL 825
QUADRULO FL 685
QUADRULO SENSOR WL, E27 824
QUADRULO WL 824
QUADRULO WL, E27 825
QUIMERA SINGLE-PHASE, PD 489

QUIMERA PD, PHASE 177
QUIMERA TL 403
QUIMERA WL, PHASE 279

R
R-CUBE 35 POLE, PHASE 651
R-CUBE 75 POLE, PHASE 651
R-CUBE WL, PHASE 778
RASTERLYS 70 POLE, PHASE 673
RASTERLYS WL, PHASE 787
RASTERLYS WL, UP/DOWN, PHASE 787
ROCCI 200 EL, ANGULAR 891
ROCCI 200 EL, ROUND 891
ROCCI EL, SQUARE 890
ROCCI EL, ROUND 890
ROTOBALL 25 FL, E27 703
ROTOBALL 25 PD, E27 271
ROTOBALL 40 FL, E27 703
ROTOBALL 40 PD, E27 271
ROTOBALL 50 FL, E27 703
ROTOBALL 50 PD, E27 271
ROX ACRYL 30 POLE, E27 713
ROX ACRYL 60 POLE, E27 713
ROX ACRYL 90 POLE, E27 713
ROX CL, GX53 765
ROX CL, QPAR111 765
ROX WL, UP/DOWN, QPAR111 840
RUSTY® 40 POLE 692
RUSTY® 40 POLE, E27 692, 693
RUSTY® 70 POLE 692
RUSTY® 70 POLE, E27 693
RUSTY® CONE 24 FL, E14 689
RUSTY® CONE 40 POLE, E27 689
RUSTY® CONE 70 POLE, E27 689
RUSTY® PATHLIGHT 40 POLE 688
RUSTY® PATHLIGHT 70 POLE 688
RUSTY® PATHLIGHT POLE, TCR-TSE 688
RUSTY® SLOT 50 POLE 686
RUSTY® SLOT 50 POLE, E27 687
RUSTY® SLOT 80 POLE 687
RUSTY® SLOT 80 POLE, E27 687
RUSTY® UP/DOWN WL, SQUARE 812
RUSTY® UP/DOWN WL, ROUND 812

S
S-CUBE 35 POLE, PHASE 650
S-CUBE 75 POLE, PHASE 651
S-CUBE CW, PHASE 778
S-TUBE 32 POLE, GU10 646
S-TUBE 75 POLE, GU10 646
S-TUBE CW 791
SAMRINA SP, SINGLE, GU10 741
SEDO 14 WL 316
SEDO 21 WL 317
SEJERO 90 POLE, E27 643
SEJERO PD, E27 755
SEJERO WL, E27 771
SENSER 2.0 12 CW, ROUND, DALI 388
SENSER 2.0 12 CW, ROUND, PHASE 386
SENSER 2.0 12 CW, SQUARE, DALI 388
SENSER 2.0 12 CW, SQUARE, PHASE 386
SENSER 2.0 12 RL, ROUND, DALI 100
SENSER 2.0 12 RL, ROUND, PHASE 96
SENSER 2.0 12 RL, SQUARE, DALI 98
SENSER 2.0 12 RL, SQUARE, PHASE 94
SENSER 2.0 18 CW, ROUND, DALI 389
SENSER 2.0 18 CW, ROUND, PHASE 387
SENSER 2.0 18 CW, SQUARE, DALI 389
SENSER 2.0 18 CW, SQUARE, PHASE 387
SENSER 2.0 18 RL, ROUND, DALI 101
SENSER 2.0 18 RL, ROUND, PHASE 97
SENSER 2.0 18 RL, SQUARE, DALI 99
SENSER 2.0 18 RL, SQUARE, PHASE 95
SENSER 2.0 24 CW, ROUND, DALI 389
SENSER 2.0 24 CW, ROUND, PHASE 387
SENSER 2.0 24 CW, SQUARE, DALI 389
SENSER 2.0 24 CW, SQUARE, PHASE 387
SENSER 2.0 24 RL, ROUND, DALI 101
SENSER 2.0 24 RL, ROUND, PHASE 97
SENSER 2.0 24 RL, SQUARE, DALI 99
SENSER 2.0 24 RL, SQUARE, PHASE 95
SENSER 2.0 30 CW, ROUND, DALI 389
SENSER 2.0 30 CW, ROUND, PHASE 387
SENSER 2.0 30 CW, SQUARE, DALI 389
SENSER 2.0 30 CW, SQUARE, PHASE 387
SENSER 2.0 30 RL, ROUND, DALI 101
SENSER 2.0 30 RL, ROUND, PHASE 97
SENSER 2.0 30 RL, SQUARE, DALI 99
SENSER 2.0 30 RL, SQUARE, PHASE 95
SHELL 30 WL, PHASE 347
SIGHT EASY THREE-PHASE 593
SIGHT EASY THREE-PHASE, DALI 593
SIGHT EVO 1200 THREE-PHASE, SINGLE 590
SIGHT EVO 1200 THREE-PHASE, SINGLE DALI 591
SIGHT EVO 600 THREE-PHASE, DOUBLE 590
SIGHT EVO 600 THREE-PHASE, DOUBLE DALI 591
SIGHT EVO 600 THREE-PHASE, SINGLE 590
SIGHT EVO 600 THREE-PHASE, SINGLE DALI 591
SIGHT MOVE THREE-PHASE 595
SIGHT MOVE THREE-PHASE, DALI 595
SIGHT PANEL THREE-PHASE 592
SIGHT PANEL THREE-PHASE, DALI 592
SIGHT TRACK THREE-PHASE 594
SIGHT TRACK THREE-PHASE, DALI 594
SIMA CW, SQUARE, PHASE 394
SIMA CW, SQUARE, SENSOR 394
SITRA 360 CW, TCR-TSE 856
SITRA 360 POLE, TCR-TSE 727
SITRA 360 SPIKE SP, DOUBLE, TCR-TSE 751
SITRA 360 SPIKE SP, SINGLE, TCR-TSE 751
SITRA CL, TCR-TSE 765
SITRA CUBE WL, TCR-TSE 809
SITRA L WL, UP/DOWN, ANGULAR 809
SITRA M WL, UP/DOWN 809
SITRA S WL, SINGLE 807
SITRA S WL, UP/DOWN 807
SITRA WL, TCR-TSE 839
SITRA WL, UP/DOWN, TCR-TSE 839
SLOTBOX 40 POLE 721
SLOTBOX 70 POLE 721
SLOTS 45 POLE 719
SLOTS 65 POLE 719
SLVconnect® OVANA 44 PD, LED, ZIGBEE, TW 197
SMALL PLOT COVER, 2-PACK 888
SMALL PLOT COVER, 4-PACK 888
SMALL PLOT MODULE 888
SOLASTO EL, SQUARE 893
SOLASTO EL, ROUND 893
SOLID CUBE WL, QT14 354
SOMNILA FLEX WL, LEFT 358
SOMNILA FLEX WL, RIGHT 359
SOMNILA SPOT WL, LEFT 358
SOMNILA SPOT WL, RIGHT 358
SOPRANA CL, E27 157
SPOT 79 CW, QPAR51 385
SQUARE 30 POLE, E27 717
SQUARE 60 POLE, E27 717
SQUARE 90 POLE, E27 717
SQUARE TURN WL, G9 850
SQUARE WL, E27 824
STRIP SETS | S STRIP + DRIVER 612
SUN 20 CL, E27 126
SUN 20 PD, E27 182
SUN 30 CL, E27 126
SUN 30 PD, E27 182
SUN 40 PD, E27 182
SUN FL, G9 407
SUN MIRROR WL, QUAD 281
SUN MIRROR WL, TRIPLE 281
SUN TL, G9 407
SUN WL, DOUBLE, G9, ANGULAR 287
SUN WL, G9, ANGULAR 286
SUN WL, G9, CURVED 287
SUN WL, UP, G9, ANGULAR 287
SYNA GARDEN SP 733
SYNA PLANT SP 733
SYNA SHADE SP, GU10 732
SYNA SP 733
SYNA WIDE SP 732

T
T-TUBE 70 POLE, GU10, DOUBLE 647
T-TUBE 70 POLE, GU10, DOUBLE, SENSOR 647
T-TUBE 70 POLE, GU10, SINGLE 647
T-TUBE 70 POLE, GU10, SINGLE, SENSOR 646
T-TUBE WL GU10, DOUBLE 789
T-TUBE WL GU10, DOUBLE, SENSOR 789
T-TUBE WL GU10, SINGLE 789
T-TUBE WL GU10, SINGLE, SENSOR 788
TAHA II 45 POLE, PHASE 698
TAHA II 70 POLE, SENSOR 699
TAHA II 70 POLE, PHASE 698
TAHA II 90 POLE, SENSOR 699
TAHA II 90 POLE, PHASE 698
TAHA II WL, PHASE 830
TAHA II WL, SENSOR 830
TELESKOP LV, QR-C51 475
TENORA CL, E27 157
TERANG 200 CW 861
THEO BRACKET CW 856
THEO BRACKET SP 749
THEO PATHLIGHT 73 POLE, DOUBLE 729
THEO PRO L WL, SINGLE, DALI P1 799
THEO PRO L WL, SINGLE, DALI P2 801
THEO PRO L WL, UP/DOWN, DALI P1 799
THEO PRO L WL, UP/DOWN, DALI P2 801
THEO PRO S WL, SINGLE, DALI P1 798
THEO PRO S WL, SINGLE, DALI P2 798
THEO PRO S WL, UP/DOWN, DALI P1 798
THEO PRO S WL, UP/DOWN, DALI P2 799
THEO UP/DOWN WL, QPAR51 354, 795
THEO WL, QPAR51 796
TODAY PRO DISPLAY 850
TRAIL-LITE® 60 EL 886
TRAIL-LITE® 60 POWER SUPPLY 887
TRAIL-LITE® 60 SET EL 886
TRAIL-LITE® 60 SINGLE EL 886
TRILEDO CL CL, DOUBLE, SQUARE 128
TRILEDO CL, DOUBLE, SQUARE, QPAR51 129
TRILEDO CL, SINGLE, SQUARE 128
TRILEDO CL, SINGLE, SQUARE, QPAR51 129
TRILEDO CL, SINGLE, ROUND 128
TRILEDO CL, SINGLE, ROUND, QPAR51 129
TRUKKO 60 WL 315
TRUKKO 80 WL, ROUND 315
TRUKKO 90 WL 315

TRUKKO WL, ROUND 314
TRUKKO WL, RECTANGULAR 314
TRUST 30 POLE 711
TRUST 60 POLE 711

U

UNIVERSAL 68 DL, PHASE 64
UNIVERSAL DOWNLIGHT COVER, PIVOTING, SQUARE, IP20 13
UNIVERSAL DOWNLIGHT COVER, PIVOTING, ROUND, IP20 13
UNIVERSAL DOWNLIGHT COVER, FIXED, SQUARE, IP65 13
UNIVERSAL DOWNLIGHT COVER, FIXED, ROUND, IP65 13
UNIVERSAL DOWNLIGHT FIX RL, LED, PHASE, IP65 12
UNIVERSAL DOWNLIGHT MOVE RL, LED, PHASE 12
UNIVERSAL DOWNLIGHT SLIM RL, PHASE 12
UNIVERSAL TRACKSPOT THREE-PHASE L, 24/28/32/36W 927/930/940 24°...60° 583
UNIVERSAL TRACKSPOT THREE-PHASE M, 12/16/20/24W 927/930/940 24°...60° 583

V

VAP SLIM 30 POLE, E27 714
VAP SLIM 60 POLE, E27 714
VAP SLIM 90 POLE, E27 714
VARU EL, QPAR51 113
VARYT CL, E14 127
VARYT DIAMOND GLASS SHADE 127, 179, 285, 401
VARYT GLOBE GLASS SHADE 127, 179, 285, 401
VARYT LINED GLASS SHADE 127, 179, 285, 401
VARYT PLEATED GLASS SHADE 127, 179, 285, 401
VARYT PD, E14 179
VARYT TL, E14 401
VARYT WL, E14 285
VERLUX EL, SQUARE, PHASE 104
VILUA L WL 837
VILUA S WL 837
VILUA WL, UP/DOWN 837

W

WALLYX WL, QPAR51 840
WL 106 E14 318, 319
WL 149 WL, PHASE 347
WL 149 WL, QT-DE12 347
WORKLIGHT EASY FL 940 417
WORKLIGHT FL 417
WORKLIGHT PD, DALI 251
WORKLIGHT PRO 120 PD, DALI 251
WORKLIGHT PRO 150 PD, DALI 251
WORKLIGHT PRO FL, DOUBLE 419
WORKLIGHT PRO FL, SINGLE 419
WORKLIGHT TL 417
WORO EL 121
WUD PD, E27, CYLINDRICAL 181
WUD PD, E27, SEMICIRCULAR 181
WUD TL, E27, CYLINDRICAL 399
WUD WL, E27, CYLINDRICAL 343



SUN
1009144

SYMBOLS KEY

Recommendations
Displays accessories and recommended light bulbs for the chosen products

Mix & Match
Indicates products that can be combined

Energy efficiency class
"This light is suitable for bulbs with an energy efficiency rating of ..."

Protection classes
- Protection class I / Protective conductor
- Protection class II/ Protection by double or reinforced insulation
- Protection class III/ Protection by extra-low voltage

Dimmable with:
- **C** = Trailing-edge phase dimmer
- **L** = Leading-edge phase dimmer
- **Uni** = Universal dimmer
- **1–10 V**
- **Dali** = DALI bus system
- **Switch** = Switch/button or touch control on the light
- **Touch** = Simple, stepless operation; responds to touch

IP protection rating:
Indicates the suitability of electrical equipment for different environmental conditions.

IK impact resistance rating:
The IK impact resistance rating is a measure of the resistance of housings for electrical equipment to mechanical stress, especially impact stress.

Half-diffusion angle:
Describes the beam angle in degrees. The smaller the angle, the more concentrated the light will be.

Rotation and pivoting capacity in degrees:
- Rotation range
- Pivot range
- Gimballed

Preservation of luminous flux:
Describes the amount by which the luminous flux of an LED decreases during a specified period.

Unified Glare Rating:
The lower the UGR value, the lower the psychological glare.

Pendant cable length
in cm

Cable length:
Mains plugs, connectors and supply cables (with open cable end) in cm

Through-wiring possible

Shape of the installation opening

Specification of the installation depth

Drive-over capability of the product ensured

Weight-bearing capacity of the product up to the specified value in tonnes. Measurements based on installation in concrete.

Sea-air resistant coating

Independent converter:
Control equipment also for use outside of lights

Short-circuit protected safety control equipment

Light colour temperature in Kelvin (K)

Luminous flux in lumens (lm)

Dark Sky
Indicates that the light emits almost no light into the upper half-space (ULOR < 2 %). Reduces light pollution and ensures targeted, needs-based illumination of the usable area.

Primary/Replica
Indicates lights with integrated primary/replica function. A sensor light (primary) controls downstream lights (replica) via a switched phase, enabling simple, networked lighting control without additional bus or control systems.

Connected lighting:
Indicates smart products that use the following protocols:
- Zigbee®
- DALI
- Bluetooth

Allows the installation of electrical control equipment on materials whose flammability is not known.

CCT switch:
By means of an integrated CCT switch, the light colour can be changed from 2700 K, 3000 K, 4000 K to 6500 K during installation.

Dim-to-warm:
With dimmers, the light colour can be altered from cold white to warm white.

Indicates lights with RGB+W and RGB
(Red-Green-Blue + White and Red-Green-Blue)

Indicates lights with motion sensors
(Microwaves (MR) - Technology / Infrared / Radio)

Products with integrated LEDs

Products with light socket

KS Licht – Your lighting wholesaler in Essen

Contact, customer service and information for customers
BIG WHITE 2027

Directly linked to our product range, advice and project services:

In the KS Multi Brand Business online shop, you will find the latest products, new releases and special offers, as well as information to support you with advice, quotations and project management:

- Online stock availability check
- Catalogues, browsable catalogues and product links
- Technical data, tender specifications, light distribution curves and LDT files
- Easily find and order spare parts
- View your individual terms and conditions, delivery and payment terms
- Relevant product recommendations, variants and alternative products
- Direct contact with our sales team

Customer Information

All prices are net, plus statutory VAT. The retail prices quoted are recommended retail prices. Upon publication of this catalogue, previous price lists cease to be valid.
Illustrations, colours, shapes, designs and technical specifications are for illustrative purposes only and are not binding. Subject to changes and errors.
Goods are generally dispatched ex works, carriage forward.
For orders with a net value of less than €70.00, a minimum order surcharge of €8.00 will be applied.

Ordering & Delivery

When placing orders, please always specify the item number, colour and quantity. This reduces the need for follow-up enquiries and speeds up processing.
Express and direct deliveries are available on request.
Custom-made items, components assembled to the customer's specifications and lamps are excluded from exchange.
Our General Terms and Conditions apply and are available at www.ks-germany.com/de/agb.

Kontakt

KS Licht- und Elektrotechnik GmbH
Manderscheidtstraße 8 c
45141 Essen
Germany

Verkauf & Service
Tel.: +49 (0)201-89924-0
verkauf@ks-germany.com

Online
ks-light.co.uk
www.ks-germany.com

Pflichtangaben

KS Licht- und Elektrotechnik GmbH · Sitz der Gesellschaft: Essen · Geschäftsführer: Kai Becker
Registergericht: Amtsgericht Essen · Handelsregister: HRB 12736 · Steuer-Nr.: 111/5708/2689 ·
USt-IdNr.: DE190673411

KS Licht- und Elektrotechnik GmbH
Manderscheidtstraße 8 c
45141 Essen
Germany

Tel.: +49 (0)201-89924-0

B2B-Shop: **ks-light.co.uk**
Website: www.ks-germany.com
E-Mail: verkauf@ks-germany.com

Opening hours
Monday – Thursday 08:00 – 16:30
Friday 08:00 – 15:00