
BIG WHITE®
2027

SLV LIGHTING CATALOGUE




APPLICATION INDEX


INDOOR RECESSED CEILING LIGHTS



UNIVERSAL DOWNLIGHT SLIM | 12



UNIVERSAL DOWNLIGHT FIX | 12



UNIVERSAL DOWNLIGHT MOVE | 12





KADUX | 14



KADUX | 15



KADUX | 15





SOCKET

KADUX | 16–17



NUMINOS® | 18–26



NUMINOS® MOVE | 28–36



NUMINOS® GIMBLE | 38–46



DYSKO | 57





SOCKET

NEW TRIA® | 58–63, 66–73



NEW TRIA® UNIVERSAL | 64–65



SOCKET

NEW TRIA® | 86





SOCKET

NEW TRIA® | 87



GLENOS® PRO | 87



MEDO® | 88–89



HORN MINI | 90



SOCKET

HORN | 91–93



SOCKET

HORN 1 | 92



SOCKET

HORN T | 93



HORN MAGNA



SENSER 2.0 | 94–101



DOWNLIGHT VARIO | 102–103

VERLUX | 104



DL 126 | 105



PIKA | 105



OCULUS | 107



OCCULDAS | 107

NEW



ENOLA® 2.0 | 108–109

NEW



ENOLA® 2.0 | 108–109



KARPO | 110

NEW



GRIP! | 111



GRIP! | 111





PLASTRA | 113



VARU | 113





DOLIX OUT | 114–115



KINI | 115

AKALO D83 | 115

FRAME BASIC | 116–117



FRAME CURVE | 117

NOTAPO | 119



DOWNUNDER PUR | 120–121



MOBALA | 121

WORO | 121



PATTA-I | 122



PATTA-I | 122–123





PATTA-F | 123



CONCRETO
1006406

OUTDOOR RECESSED WALL LIGHTS




CONCRETO | 865



ADI | 866




DOWNUNDER OUT | 867



BRICK MESH | 868




BRICK | 868



SOCKET

BRICK DOWNUNDER | 869


DASAR® S
1007680

OUTDOOR RECESSED FLOOR LIGHTS



DASAR® | 873



DASAR® | 874–877



DASAR® FLAT | 880



DASAR® | 880–881



DASAR® 920 | 881



DASAR® 115 | 882







DASAR® EXACT 116 | 883



DASAR® 215 | 885



DASAR® 215 | 885



DASAR® 370 | 885





TRAIL-LITE® | 886





POWER TRAIL-LITE® | 887



SMALL PLOT | 888



BIG PLOT | 889





ROCCI | 890





ROCCI 200 | 891





SOLASTO | 893


TAHA II 45
1010197



GALEN PRO 120
1009108

INDOOR CEILING LIGHTS



SUN | 126



MIX match

VARYT | 127



TRILEDO | 128





TRILEDO | 128



TRILEDO | 129





TRILEDO | 128



NUMINOS® | 130–137

NEW



ENOLA® 2.0 | 136–141



NEW

GRIP! | 144–147



OCULUS | 148



ASTO TUBE | 149



OCCULDAS | 150–151



ALTRA DICE | 151



ALTRA DICE | 151





KARDAMOD | 153



FENDA | 155



TENORA | 157



SOPRANA | 157



PLASTRA | 158



PLASTRA | 158



PLASTRA 105 | 158

PLASTRA 104 | 159

FERA 25 |159



DECONA | 160–163

NEW



MOTUNA | 163



MARONA | 163

NEW



OVANA |164– 165

NEW



GLENOS® 2.0 | 167



GLENOS® PRO |167

PANEL 60 | 169

OUTDOOR CEILING LIGHTS



SOCKET

PHOTONI CYL | 754



SOCKET


PHOTONI | 754



NEW

SOCKET

SEJERO | 755



LED

CUBE | 757



LED

ESKINA FRAME | 757



LED

ENOLA® OCULUS | 758



LED


ENOLA® ROUND | 759



LED

ENOLA® SQUARE | 760–761





LED SOCKET

BIG THEO | 761



LED

OVALISK | 763



SOCKET

MOLAT | 763



SOCKET

SITRA | 765





SOCKET

ROX | 765

INDOOR PENDANT LIGHTS



SOCKET

HAVEN | 175



LED

QUIMERA | 177



SOCKET

MIX match

VARYT | 179





SOCKET

WUD | 181



SOCKET

SUN | 182



SOCKET

OLYPSO | 183



SOCKET

MAGICO |185



LED

NUMINOS® | 186–193



LED

GRIP! S | 195



LED

MOTUNA | 197



LED

OVANA 44 | 197



LED

SLVconnect®
OVANA 44 | 197



LED

MEDO® 2 SLIM |
198–201



LED

MEDO® HYVE |
202–203



LED

MEDO® RING |
206–207



LED

MEDO® PRO | 208–213



LED

SOCKET

LALU® SET | 216–221



LED

DYSKO | 221



LED

ONE FLAT | 223



LED

ONE VERTICAL | 224



LED

ONE CUBE | 225



LED

ONE CUBE UP/DOWN |
225



LED

ONE | 227–229



LED

ONE DOUBLE | 231



LED

ONE TRIPLE | 231



LED

ONE LINEAR | 233



LED

LINIUS | 234–237



SOCKET

PANTILO ROPE | 239



SOCKET

PANTILO OVAL | 240



SOCKET

PANTILO | 240



SOCKET

PANTILO CONVEX | 241



SOCKET

LIGHT EYE® | 243



SOCKET

ENOLA® 2.0 | 244–245



SOCKET

ASTO TUBE | 247



LED

GLENOS® 2.0 | 248–249



LED

GLENOS® PRO | 249



LED

WORKLIGHT PRO | 251



LED

WORKLIGHT | 251

LED

PANEL | 253



LED

GRIP! FLAT | 255



LED

OCULUS | 257



SOCKET

FITU | 258



SOCKET

FENDA | 260–261



LED

HELIA | 264–265



SOCKET

PARA CONE | 265



SOCKET

PHELIA | 267



SOCKET

FORCHINI | 268–269



SOCKET

ROTOBALL | 271



SOCKET

PARA DOME | 273



SOCKET

PARA 380 PD | 273



MANA
1008206

INDOOR WALL AND CEILING LIGHTS


QUIMERA | 279


LYGANT | 279


SUN MIRROR | 281


MIX match
VARYT | 285


SUN | 286–287


DYSKO | 289


NUMINOS® | 290–297

NEW
MEDO® 2 SLIM | 298–301


NEW
MEDO® HYVE | 302–303


MEDO® PRO | 304–309


ONE | 310–311


ONE LINEAR | 312–313


ONE | 313


TRUKKO | 314–315


SEDO | 316–317


ARLINA | 317


WL | 318–319


MIBO UP/DOWN | 319


MAGANDA | 319


DORISA | 320

NEW
GLENOS® 2.0 | 320

Q-LINE® | 321

L-LINE 60 | 321


PANTILO ROPE | 322


ENOLA® 2.0 | 324–327


NEW
GRIP! | 328–329


NEW
GRIP! FLAT | 329



ASTO TUBE | 331


MANA | 333–335

INDOOR WALL AND CEILING LIGHTS



OCULUS |



PLASTRA | 338–339



PLASTRA | 340



PLASTRA | 340



PLASTRA 101 | 341

PLASTRA | 341

PLASTRA 104 | 341



WUD | 343



LOGS IN | 344–345



QUAD FRAME | 346

WL 149 | 347



SHELL 30 | 347



ASSO 300 | 348–349



OSSA7 349



CARISO | 351

CHROMBO | 351

DIRETO 60 | 353



DENA 30 | 353

BASKET | 353



FITU | 354



THEO UP/DOWN | 354



SOLID CUBE | 354



FENDA | 355



KENKUA SPOT | 355



COUPA | 356



KARPO MAGN | 356



KARPO GOOSE | 356



KARPO 30 | 357



KARPO | 357



SOMNILA SPOT | 358



SOMNILA FLEX | 358–359



DIO FLEX PLATE | 359



PHELIA | 361



MERADO FLOOD | 361



DISPLAY ADL 50 | 361



PURI 2.0 TUBE | 362–363



SOCKET

PURI 2.0 CONE | 364–365



SOCKET

PURI 2.0 DOME | 366–367



NEW

LED

NOBLO® | 371–373

LED

KALU 2.0 | 374

SOCKET

PANTILO ROPE | 375

SOCKET

MOTUNA | 375



LED

CYFT | 376–379

SOCKET

ASTO TUBE | 381

SOCKET

KALU | 383



NEW

SOCKET

KALU | 383

SOCKET

ALTRA DICE | 385

SOCKET

SPOT 79 | 385

LED

SENSER 2.0 | 386–389



NEW

LED

LIPSY® 2.0 | 390–393

LED

SIMA | 394

SOCKET

MELAN | 395

LED

BATTEN | 395


ENOLA® OCULUS
1006328

OUTDOOR WALL AND CEILING LIGHTS



SOCKET
SEJERO | 771



LED
ALEGRIA | 773


LED
AINOS SLIDE | 774–775



LED
AINOS SLIDE | 774–775



LED
QUADRASYL PRO | 777



LED
S-CUBE | 778



LED
R-CUBE | 778


LED
MODELA | 778


SOCKET
PHOTONI CYL | 779


SOCKET
PHOTONI | 779



LED
LID I | 780–781



LED
LID II | 781


LED
Q-RING | 782


LED
I-RING | 783


LED
D-RING | 783


LED
OVAL | 784


LED
CONCRETO | 785



LED
RASTERLYS | 787



SOCKET
T-TUBE | 788–789


SOCKET
S-TUBE | 791


LED
FLATT II | 793


LED
FLATT | 794


SOCKET
THEO UP/DOWN | 795


LED
SOCKET
BIG THEO | 795–796


SOCKET
THEO | 796


LED
BIG THEO FLOOD


LED
SOCKET
BIG THEO | 797


LED
THEO PRO | 798–801


LED
HELIA PRO | 802–805


LED
SITRA | 807–809



SOCKET
SITRA CUBE | 809


LED
BIG QUAD | 810

OUTDOOR WALL AND CEILING LIGHTS



QUAD | 811





RUSTY® UP/DOWN | 812



ENOLA® OCULUS | 813



ENOLA® ROUND | 816–817



ENOLA® SQUARE | 818–819





GRAFIT | 822–823



SQUARE | 824







QUADRULO | 824–825



MERIDIAN | 826



MERIDIAN BOX | 827





ESKINA FRAME | 829



BOOKAT | 830




TAHA II | 830



OVALISK SENSOR | 831







PEMA® | 832–833



ASTINA | 834



ASTINA STEEL | 834



ANGOLUX | 835



VILUA | 837



MYRA UP/DOWN | 839





SITRA | 839



ROX | 840



DELWA | 840



WALLYX | 840



DOWNUNDER OUT | 841



ABRIDOR | 843



NEW

ORDI | 844



ORDI II | 845



BOX-L | 846



BOX | 846



LOGS | 487



OUT-BEAM UP/
FLOOD DOWN | 847



L-LINE OUT | 847



PHOTONIA | 848



MOLAT | 848



GLOO PURE | 848




F-POL | 849



IPERI | 849



QUADRASYL | 849



SQUARE TURN | 850



TODAY PRO | 850



ESKINA D | 851



MYRA DISPLAY | 851



MYRA | 851



LED SPOT | 853



NAUTILUS | 853



MYRA | 853



ESKINA SPOT | 855



SITRA 360 | 856



THEO BRACKET | 856





HELIA | 857





AINOS | 858–859



TERANG 200 | 861



BULAN | 861



BULAN GRID | 861


VARYT
1008113 + 1008023

INDOOR TABLE AND FLOOR LIGHTS


SOCKET
WUD TL | 399


SOCKET
MIX match
VARYT | 401


LED
QUIMERA | 403


LED
ONE STRAIGHT | 405


LED
ONE BOW | 405


SOCKET
SUN | 407


SOCKET
PANTILO SLIM | 408



SOCKET
PANTILO | 409


SOCKET
PANTILO ROPE | 409


SOCKET
MIX match
FENDA | 411–413


NEW

LED
MECANICA 2.0 | 414


LED
KARPO | 415


SOCKET
PHELIA | 415


LED
WORKLIGHT EASY | 417

NEW

LED
WORKLIGHT | 417



LED
WORKLIGHT PRO | 419


LOGS 40
232115


FLATT II 62
1010106

OUTDOOR MOBILE LIGHTS AND FLOOR LIGHTS


GRID CUBE | 639


GRID SUN | 539


ADEGAN| 641


NEW
SEJERO | 643


NEW
ALEGRIA | 645


NEW
QUADRASYL PRO | 645


S-TUBE | 646


T-TUBE | 646–647


PHOTONI CYL | 648–469


PHOTONI | 649


S-CUBE | 650–651


R-CUBE | 651


I-RING 65 | 653


LID I | 654


QUAD PRO | 655


M-POL | 660–667


CONCRETE | 670


CONCRETO | 671


RASTERLYS 70 | 673


FLATT II | 674–675


FLATT | 675


ESKINA FRAME | 676–677


LOGS | 679


GRAFIT | 681


GRAFIT | 683


QUADRULO | 685


RUSTY® SLOT | 686–687


RUSTY® PATHLIGHT | 688


RUSTY® CONE | 689


RUSTY® | 692–693


RUSTY® | 693


ARROCK GRANITE 40 | 694


ARROCK ARC | 694


ARROCK STONE | 695


SOCKET
ARROCK SLOT | 695


LED
L-LINE OUT | 696–697


LED
TAHA II | 698–699


LED
OVALISK | 701


SOCKET
GLOO PURE 27 | 702


SOCKET
ROTOBALL | 703


SOCKET
PHOTONIA | 705


SOCKET
OTOS GLAS | 705


SOCKET
CUBIX | 705


SOCKET
CONE | 707


MOLAT | 707


SOCKET
LISENNE | 708


ALPA MUSHROOM | 709


SOCKET
ALPA CONE 100 | 709


LED
APONI | 710–711


LED
TRUST | 711


SOCKET
BIG NAILS | 712


SOCKET
ROX ACRYL | 713


SOCKET
VAP SLIM | 714


SOCKET
C-POL 90 | 715


SOCKET
F-POL 85 | 715


SOCKET
SQUARE | 717


LED
SLOTS | 719


LED
H-POL | 720


LED
SLOTBOX | 721


LED
ORDI II | 723


LED
ABRIDOR HYBRID | 724


LED
ABRIDOR | 725


LED
IPERI 50 | 726


SOCKET
QUADRASYL 75 | 726


SOCKET
QUAD | 726


SOCKET
MYRA SPOT | 727


SOCKET
SITRA 360 | 727


SOCKET
THEO PATHLIGHT 73 | 729


SAMRINA
1004757

OUTDOOR SPOTLIGHTS



SYNA WIDE | 732



SYNA SHADE | 732



SYNA PLANT | 733



SYNA GARDEN | 733



SYNA | 733

NEW



PL-BEAM PRO | 734 – 735



GALEN | 738



GALEN PRO | 739



HELIA SPOT | 740



FLAC BEAM | 741



SAMRINA | 741



NAUTILUS 10 | 742



NAUTILUS 10 | 743



BIG NAUTILUS | 743



NAUTILUS | 744





NAUTILUS 10 SPOT | 744



DASAR® PROJECTOR | 745



DASAR® 920 | 745



HELIA SLIM | 747



THEO BRACKET | 749



LED SPIKE | 749



SITRA 360 SPIKE | 751


GRIP! FLAT
1009014

48 V INDOOR SYSTEMS



KALU 2.0 | 439



LIGHT EYE® 2.0 | 439



DYSKO | 441





NUMINOS® | 442–449



IN-LINE | 450–453





FIX-IT! | 454–457





GRIP! FLAT | 459



GRIP! S | 460–461



GRIP! S | 463



GRIP! S MINI | 463



GRIP! M | 465



LALU® SET | 466–467

INDOOR LOW-VOLTAGE SYSTEMS



ASMARA | 475



TELESKOP | 475




COSMIC | 477



DURNO | 477



NOBLO® SPOT | 477



NUMINOS® M
1004470

INDOOR SINGLE-PHASE SYSTEMS



SOCKET

HAVEN 25 | 487



LED

QUIMERA | 489



SOCKET

FORCHINI M 40 TRACK | 489



LED

LALU® SET | 491–493



SOCKET

PURI 2.0 TUBE | 495–497



SOCKET

PURI 2.0 CONE | 495–497



SOCKET

PURI 2.0 DOME | 495–459



SOCKET

PURI 2.0 | 498



SOCKET

ENOLA® 2.0 | 500–501



SOCKET

BIMA 2.0 | 503



LED
SOCKET

GRIP! | 505–509



LED

GRIP! FLAT | 511



LED

DYSKO | 513



LED
SOCKET

LIGHT EYE® | 514–517



LED

KALU 2.0 | 519



SOCKET

KALU TRACK | 519



LED

NOBLO® SPOT | 521



SOCKET

ASTO TUBE | 523



SOCKET

PARA CONE GL | 525



SOCKET

PARA CONE 14 | 525



LED

HELIA 50 TRACK | 527



LED

PANEL TRACK | 527



LED

PANEL TRACK | 527



SOCKET

EURO SPOT TRACK | 529



SOCKET

ALTRA DICE TRACK | 529


NUMINOS® M
1004459

INDOOR THREE-PHASE SYSTEMS



SOCKET
HAVEN 25 | 555


SOCKET
PURI 2.0 TUBE | 557–561


SOCKET
PURI 2.0 CONE | 557–561


SOCKET
PURI 2.0 DOME | 557–561



SOCKET
BIMA 2.0 | 563



SOCKET
ENOLA® 2.0 S | 564–565



SOCKET
GRIP! | 566–569


LED
NUMINOS® | 572–579


LED
NUMINOS® ZOOM | 580–581


LED
UNIVERSAL TRACKSPOT | 583


LED
NOBLO® SPOT | 585



LED
EURO CUBE 2 | 586–587


LED
KALU 2.0 | 589


SOCKET
KALU TRACK | 589


LED
SIGHT EVO | 590–591


LED
SIGHT PANEL | 592

LED
SIGHT EASY | 593

LED
SIGHT TRACK | 594


LED
SIGHT MOVE | 595


SOCKET
PARA CONE 14 | 596–597


SOCKET
PARA CONE GL | 597


SOCKET
FORCHINI M 40 TRACK | 599


SOCKET
LIGHT EYE® | 600–601


SOCKET
EURO SPOT TRACK | 603


LED
HELIA 50 TRACK | 605



LEDSTRIP IP
1000465 + 1004726

PROFILES AND LED STRIPS

SETS



LED STRIP SETS –
LED STRIP S + DRIVER | 612



PROFILE SETS –
S SURFACE-MOUNTED PROFILE + DIFFUSER | 613


LED STRIPS



COB LED STRIPS | 614



SMD LED STRIPS | 615



COB LED STRIPS | 616



SMD LED STRIPS | 617



LED STRIPS COB
TW & RGBW | 618



LED STRIPS SMD
TW & RGBW | 619




LED STRIPS COB IP67 |
620



LED STRIPS SMD IP67 |
621



COB LED STRIPS | 622




SMD LED STRIPS | 623



ACCESSORIES |
624–625


PROFILES



PROFILE SETS
AND ACCESSORIES |
626–627



PROFILE SETS
AND ACCESSORIES |
628–629



PROFILE SETS
AND ACCESSORIES |
630–631



RECESSED PROFILE
AND ACCESSORIES |
632

SYMBOLS KEY

Recommendations
Displays accessories and recommended light bulbs for the chosen products

Mix & Match
Indicates products that can be combined

Energy efficiency class
"This light is suitable for bulbs with an energy efficiency rating of ..."

Protection classes
- Protection class I / Protective conductor
- Protection class II/ Protection by double or reinforced insulation
- Protection class III/ Protection by extra-low voltage

Dimmable with:
- **C** = Trailing-edge phase dimmer
- **L** = Leading-edge phase dimmer
- **Uni** = Universal dimmer
- **1–10 V**
- **Dali** = DALI bus system
- **Switch** = Switch/button or touch control on the light
- **Touch** = Simple, stepless operation; responds to touch

IP protection rating:
Indicates the suitability of electrical equipment for different environmental conditions.

IK impact resistance rating:
The IK impact resistance rating is a measure of the resistance of housings for electrical equipment to mechanical stress, especially impact stress.

Half-diffusion angle:
Describes the beam angle in degrees. The smaller the angle, the more concentrated the light will be.

Rotation and pivoting capacity in degrees:
- Rotation range
- Pivot range
- Gimballed

Preservation of luminous flux:
Describes the amount by which the luminous flux of an LED decreases during a specified period.

Unified Glare Rating:
The lower the UGR value, the lower the psychological glare.

Pendant cable length
in cm

Cable length:
Mains plugs, connectors and supply cables (with open cable end) in cm

Through-wiring possible

Shape of the installation opening

Specification of the installation depth

Drive-over capability of the product ensured

Weight-bearing capacity of the product up to the specified value in tonnes. Measurements based on installation in concrete.

Sea-air resistant coating

Independent converter:
Control equipment also for use outside of lights

Short-circuit protected safety control equipment

Light colour temperature in Kelvin (K)

Luminous flux in lumens (lm)

Dark Sky
Indicates that the light emits almost no light into the upper half-space (ULOR < 2 %). Reduces light pollution and ensures targeted, needs-based illumination of the usable area.

Primary/Replica
Indicates lights with integrated primary/replica function. A sensor light (primary) controls downstream lights (replica) via a switched phase, enabling simple, networked lighting control without additional bus or control systems.

Connected lighting:
Indicates smart products that use the following protocols:
- Zigbee®
- DALI
- Bluetooth

Allows the installation of electrical control equipment on materials whose flammability is not known.

CCT switch:
By means of an integrated CCT switch, the light colour can be changed from 2700 K, 3000 K, 4000 K to 6500 K during installation.

Dim-to-warm:
With dimmers, the light colour can be altered from cold white to warm white.

Indicates lights with RGB+W and RGB
(Red-Green-Blue + White and Red-Green-Blue)

Indicates lights with motion sensors
(Microwaves (MR) - Technology / Infrared / Radio)

Products with integrated LEDs

Products with light socket

KS Licht – Your lighting wholesaler in Essen

Contact, customer service and information for customers
BIG WHITE 2027

Directly linked to our product range, advice and project services:

In the KS Multi Brand Business online shop, you will find the latest products, new releases and special offers, as well as information to support you with advice, quotations and project management:

- Online stock availability check
- Catalogues, browsable catalogues and product links
- Technical data, tender specifications, light distribution curves and LDT files
- Easily find and order spare parts
- View your individual terms and conditions, delivery and payment terms
- Relevant product recommendations, variants and alternative products
- Direct contact with our sales team

Customer Information

All prices are net, plus statutory VAT. The retail prices quoted are recommended retail prices. Upon publication of this catalogue, previous price lists cease to be valid.
Illustrations, colours, shapes, designs and technical specifications are for illustrative purposes only and are not binding. Subject to changes and errors.
Goods are generally dispatched ex works, carriage forward.
For orders with a net value of less than €70.00, a minimum order surcharge of €8.00 will be applied.

Ordering & Delivery

When placing orders, please always specify the item number, colour and quantity. This reduces the need for follow-up enquiries and speeds up processing.
Express and direct deliveries are available on request.
Custom-made items, components assembled to the customer's specifications and lamps are excluded from exchange.
Our General Terms and Conditions apply and are available at www.ks-germany.com/de/agb.

Kontakt

KS Licht- und Elektrotechnik GmbH
Manderscheidtstraße 8 c
45141 Essen
Germany

Verkauf & Service
Tel.: +49 (0)201-89924-0
verkauf@ks-germany.com

Online
ks-light.co.uk
www.ks-germany.com

Pflichtangaben

KS Licht- und Elektrotechnik GmbH · Sitz der Gesellschaft: Essen · Geschäftsführer: Kai Becker
Registergericht: Amtsgericht Essen · Handelsregister: HRB 12736 · Steuer-Nr.: 111/5708/2689 ·
USt-IdNr.: DE190673411

KS Licht- und Elektrotechnik GmbH
Manderscheidtstraße 8 c
45141 Essen
Germany

Tel.: +49 (0)201-89924-0

B2B-Shop: **ks-light.co.uk**
Website: www.ks-germany.com
E-Mail: verkauf@ks-germany.com

Opening hours
Monday – Thursday 08:00 – 16:30
Friday 08:00 – 15:00